

# Learning Workflow

Decide on model purpose

Choose training data

- Proxy quantity?
- Balance quality against availability

Choose model(s)

- Parametric vs non-parametric

Detrend

- Improve data efficiency

Train models

## Necessity

- Only way to cover problem size
- Still open to systematic evaluation
- Often used as prefiltering step
- Complicated chemistry
- Tricky / error-prone reference calculations

## Convenience

- Can be done more accurately
- Uneconomical/cumbersome reference method
- Often used as direct but optional substitute
- Standard energy calculations of well-behaved systems
- Semi-empirical level sufficient

## Machine learning exploits correlation


- Correlations necessary but not sufficient
- Spurious cases:
  - Chance (just zoom in / transform random data)
  - Common cause

$$A \rightarrow B, A \rightarrow C \neq B \rightarrow C$$

- Identities

$$A \propto \epsilon A$$

- Selection bias






## Training data

- Representative
- Accurate
- Comparable (or labelled)


## Objective function

- Sensitive to the right features
- Balanced over data set
- Proxy for usefulness



## Remove duplicates

- Can inflate model performance
- Over-emphasizes one point/region




● Training point  
○ Test point


## Exclude missing data

- Artificially reduces training or test set

## „Zoom in“ by detrending


- Focus on „hard“ part of the problem, e.g. atomization energy rather than total energy






## Underfitting

- Simplistic model
- Over-regularised
- Missing flexibility
- “Classical fitting”




## Adequate

- Captures dominating trend
- Forgiving for data points



## Overfitting

- Match data points no matter the cost
- Little predictive power



“Low expressiveness”

“High expressiveness”




## Aim

- Procedure to choose „well-behaved“ models
- Avoid overfitting, but allow for flexibility

## Common: Norm of coefficients

- Ridge regression or Tikhonov regularization


$$\min_{\mathbf{w}} \sum_j |f(x_j | \mathbf{w}) - y_j| \quad \longrightarrow \quad \min_{\mathbf{w}} \sum_j |f(x_j | \mathbf{w}) - y_j| + \lambda \|\mathbf{w}\|_2^2$$

Labels

Training points

Model parameters (“weights”)

Regularization strength

# Summary Learning Workflow

- Decide every design aspect based on final research question
- Representative training data required, possibly use proxy properties
- Training data needs to be cleaned to obtain reliable and comparable models
- Detrending helps data efficiency
- Expressiveness: how many function classes can be represented in theory
- Flexible but regularized models helpful, i.e. constraints on „simple yet expressive models“
- Main difference to classical fitting: fewer parameters is not better